

### Scotch-Brite<sup>™</sup>

#### **Deburr & Finish PRO Unitized Wheels**

For Oil & Gas Tubular Goods (OCTG)

## **BINE to** Productivity Scotch MED+ Deburr & Finish PRO

Scotch-Brite"

& Finish PRO oc MED-

334 FD+ Deburr & Fil - Rrite

Remove burrs in less time - with a smooth-running feel your operators/inspectors will appreciate! These wheels are soft, to reduce defects, yet wear like iron, for fewer wheel changeouts.







#### For Oil & Gas Metalworking Applications

- 30 to 50% faster burr removal
- Up to 3× longer wheel life in deburring applications
- Minimal dust and debris –
  less dust equals less cleanup
- Improved operator "feel"
- Minimizes thread overcutting results in fewer rejects

Scotch-Brite™ Deburr & Finish PRO MED+ Deburr & Finish PRO Scotch-Brite™ 3 & Finish PRO & MED 3 M Sco

D+ Deburr & Fi

Fast, consistent pipe deburring, blending, finishing and more!



NEW

# How does this technology work?

#### The Science of Ceramic Precision-Shaped Grain

Traditional non-woven abrasive products are constructed from particles of irregular-shaped abrasive materials, such as aluminum oxide, bound to a nylon web.

In our new Scotch-Brite<sup>™</sup> Deburr & Finish PRO Unitized Wheels, conventional abrasive particles have been replaced with our proprietary ceramic precision-shaped grain. The hardness of the ceramic material, combined with the self-sharpening grain, provides longer life and helps you get the job done faster – without sacrificing the smooth feel and control you expect from Scotch-Brite wheels.



#### Versatile performance from factory to field

Scotch-Brite Deburr & Finish PRO Unitized Wheels are ideal for both OEM use and for pipe refurbishment and maintenance. These hard-working, high-performance wheels guickly blast through dirt, corrosion and other contaminants - without loading and without changing thread geometry, so pipes can be returned to service faster.

ite 3M		Scotch-Brite <sup>™</sup> Deburr & Fi	inish PRO	) Unitize	d Wheels	
HU 6C MED+ Dob	<b>UPC</b> 048011-	<b>Size (inches)</b> (diameter × thickness × center hole)	Density	Grade	Max RPM	Qty/Case
M Scotch-Brite"	65057-9	$2 \times \frac{1}{8} \times \frac{1}{4}$	6C	MED+	22100	80
Deburr & FinismPRO 6C MED.	65018-0	$2 \times \frac{1}{4} \times \frac{1}{4}$	6C	MED+	22100	60
Scot	65019-7	$2 \times \frac{1}{2} \times \frac{1}{4}$	6C	MED+	22100	30
11e 31 2 F	65020-3	$2 \times \frac{3}{4} \times \frac{1}{4}$	6C	MED+	22100	20
RO 6C MED+ Deburr & Fin.	65058-6*	$2 \times 1 \times \frac{1}{4}$	6C	MED+	22100	10
M Scoreb Deburr & Fin.	65021-0*	$3 \times \frac{1}{8} \times \frac{1}{4}$	6C	MED+	18100	80
Deburr & Fin	65004-3	$3 \times \frac{1}{4} \times \frac{1}{4}$	6C	MED+	18100	40
Deburr & Finish PRO 6C MED+	65007-4	$3 \times \frac{1}{2} \times \frac{1}{4}$	6C	MED+	18100**	20
	65022-7	$3 \times \frac{3}{4} \times \frac{1}{4}$	6C	MED+	15100	20
T Hohe	65005-0	$3 \times 1 \times \frac{1}{4}$	6C	MED+	15100	10
Ccotch-Rep	*Made to order.	** If using 3M <sup>™</sup> Mandrel 051141-2	28838-3 inc	luded with	Scotch-Brite D	eburr & Finish

PRO Wheel. If using other mandrel, maximum RPM is 15100.

Included Accessories					
Product	UPC Number	Description			
3M <sup>™</sup> Mandrel	051141-28838-3	1⁄4" Shank, up to 3⁄4" thick			

Warranty, Limited Remedy, and Disclaimer: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. User is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



**Abrasive Systems Division** 3M Center, Building 223-6S-03 St. Paul. MN 55144-1000 1-866-279-1235 www.3M.com/abrasives

Please recycle. Printed in USA. © 3M 2014. All rights reserved. Issued: 12/14 10078HB 61-5002-8390-0