



Seam

Sealers

Section	Page
Seam Sealers.....	5-13
Applicators & Accessories	5-7
Single-Component Moisture Cure Seam Sealers	7
Single-Component Solvent Based Seam Sealers	8-9
Two-Component Reactive Seam Sealers.....	10
Silicone Sealants	11
Seam Sealer Tape.....	12
Ribbon Sealers & Strip Caulk	12-13












Applicators & Accessories

Seam Sealers - Applicators & Accessories

	02508	02530	02576	08110
Description	 Has one door which opens on left. Is lockable. It measures 30-1/8 in high, 14-1/8 in wide and 12-1/8 in deep and is made of sturdy 24 gauge American steel. Weight 26 pounds.	 Shop Rack designed to hang on the wall while holding up to 8 open cartridges and 2 applicator guns. Sized to accommodate all 3M 200 mL and 400 mL cartridges.	 Rack for holding dispense box of 3M™ Dynamic Mixing Nozzles, PN05847.	 Replacement Ratchet/Plunger for 3M™ Performance Manual Applicator - 200 mL, PN08117.
Part Number	02508	02530	02576	08110
UPC	0-00-51131-02508-0	0-00-51131-02530-1	0-00-51131-02576-9	0-00-51135-08110-5
Product Name	3M™ Sealers, Coatings and Adhesives Organizer (Right side)	3M™ Shop Rack, 02530	3M™ Bulk Nozzle Rack	3M™ Replacement Applicator Plunger
Color	Black	Black	Red	Black
Packaging	1 per case	6 per case	1 per case	1 per case
	08117	08187	08188	08190
Description	 Manual applicator designed for use with all 200 mL cartridges in the 3M™ line of products. This product has a 1:1 mixing ratio.	 Threaded cartridge nozzle for use with 10.5 fl. oz. single component cartridges.	 Conical tapered nozzle for use with Flex Pack packaged products.	 A manual applicator gun designed for use with 3M's 1:1 50mL and 2:1 37.5mL cartridges
Part Number	08117	08187	08188	08190
UPC	0-00-51135-08117-4	0-00-51135-08187-7	0-00-51135-08188-4	0-00-51135-08190-7
Product Name	3M™ Performance Manual Applicator	3M™ Threaded Cartridge Nozzle	3M™ Flex Pack Nozzle	3M™ Performance Manual Applicator
Color	Metallic/Black	Opaque	Opaque	Black/Gray
Packaging	1 per case	50 nozzles per bag 6 bags per case	6 per case	1 per case
	08193	08194	08201	08202
Description	 3M™ Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	 3M™ Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	 Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	 Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.
Part Number	08193	08194	08201	08202
UPC	0-00-51131-08193-2	0-00-51135-08194-5	0-00-51135-08201-0	0-00-51135-08202-7
Product Name	3M™ Mixing Nozzle, 08193	3M™ Static Mixing Nozzle, 08194	3M™ 1/4 in Rounded OEM Seam Sealer Tip	3M™ 3/8 in Rounded OEM Seam Sealer Tip
Color	Opaque/Gold	Opaque	Opaque	Opaque
Packaging	6 nozzles per bag 6 bags per case	50 nozzles per bag 6 bags per case	6 bags per case	6 bags per case


Applicators & Accessories

Seam Sealers - Applicators & Accessories (continued)

	08203	08204	08205	08206
				
Description	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to use the 3M™ OEM Seam Sealer Tips on 3M™ seam sealer products to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. Six (6) adapters included with each bag.
Part Number	08203	08204	08205	08206
UPC	0-00-51135-08203-4	0-00-51135-08204-1	0-00-51135-08205-8	0-00-51135-08206-5
Product Name	3M™ 1/2 in Rounded OEM Seam Sealer Tip	3M™ 3/8 in Flat OEM Seam Sealer Tip	3M™ 3/8 in Double-Rounded OEM Seam Sealer Tip	3M™ OEM Seam Sealer Tip Adapter
Color	Opaque	Opaque	Opaque	Opaque
Packaging	6 bags per case	6 bags per case	6 per case	6 bags per case
	08398	08399	08571	08991
				
Description	Fully enclosed, all metal, rod driven, friction feed applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages. This tool has a 12:1 ratio.	Fully enclosed, pneumatic applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages.	Dispenses all 3M™ 200 mL cartridges with 1-1 or 2-1 mix ratios. Heavy Duty metal construction. Rod Driven for balanced product dispensing.	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1 ratio.
Part Number	08398	08399	08571	08991
UPC	0-00-51135-08398-7	0-00-51135-08399-4	0-00-51135-08571-4	0-00-51135-08991-0
Product Name	3M™ Flexible Package Applicator Gun	3M™ Flexible Package Applicator Gun - Pneumatic	3M™ Manual 200 mL Cartridge Applicator Gun	3M™ Flex Pack Heavy Duty Applicator Gun
Color	Metallic/Black	Black/Metallic	Red/Black	Metallic/Black
Packaging	12 per case	1 per case	1 per case	1 per case
	08992	08993	09930	38191
				
Description	For use with 3M 1/10 gallon cartridge adhesives and sealants.	A high-performance gun, designed for the professional. Used for dispensing material from an 1/10 Gallon cartridge.	A pneumatic applicator gun designed for use with 3M's 200mL cartridges.	3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges.
Part Number	08992	08993	09930	38191
UPC	0-00-51135-08992-7	0-00-51135-08993-4	0-00-51131-09930-2	0-00-51131-38191-9
Product Name	3M™ Cartridge Applicator Gun	3M™ Professional Caulking Gun	3M™ Performance Pneumatic Applicator	3M™ Static Mixing Nozzle - 50mL
Color	Blue	Orange/Black	Black	Opaque/Gold
Packaging	12 per case	1 per case	1 per case	12 nozzles per bag 6 bags per case




Applicators & Accessories

Seam Sealers - Applicators & Accessories (continued)

38193	
Description	 <p>3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges.</p>
Part Number	38193
UPC	0-00-51131-38193-3
Product Name	3M™ Static Mixing Nozzle - 50 mL
Color	Opaque/Gold
Packaging	50 nozzles per bag 6 bags per case




Single-Component Moisture Cure Seam Sealers

Single-Component Moisture Cure

	08360	08361	08364
Description	 <p>High solids seam sealer ideal for sealing interior and exterior automotive and RV seams and joints. Adheres well to primed metal and painted surfaces. Can be smoothed to a featheredge and/or brushed. Tack free and paintable in 30 minutes.</p>	 <p>High solids seam sealer ideal for sealing interior and exterior automotive and RV seams and joints. Adheres well to primed metal and painted surfaces. Can be smoothed to a featheredge and/or brushed. Tack free and paintable in 30 minutes.</p>	 <p>High solids seam sealer ideal for sealing interior and exterior automotive and RV seams and joints. Adheres well to primed metal and painted surfaces. Can be smoothed to a featheredge and/or brushed. Tack free and paintable in 30 minutes. Beige in color.</p>
Part Number	08360	08361	08364
UPC	0-00-51131-16830-5	0-00-51131-16831-2	0-00-51135-08364-2
Product Name	3M™ Urethane Seam Sealer	3M™ Urethane Seam Sealer	3M™ Urethane Seam Sealer
Container Volume	310 Millilitre	310 Millilitre	310 Millilitre
Color	White	Gray	Beige
Packaging	6 per case	6 per case	6 per case





Single-Component Moisture Cure Seam Sealers

Single-Component Moisture Cure (continued)

	08369	08370	08374
Description	 <p>High quality, heavy-bodied, general purpose, moisture-curing seam sealers that are designed for interior and exterior body joints. Adheres well to primed surfaces except acrylic lacquer. Tack free in 30 minutes and immediately paintable up to 72 hours. Use with 3M™ Flexible Package Applicator Gun, PN08398.</p>	 <p>High quality, heavy-bodied, general purpose, moisture-curing seam sealers that are designed for interior and exterior body joints. Adheres well to primed surfaces except acrylic lacquer. Tack free in 30 minutes and immediately paintable up to 72 hours. Use with 3M(TM) Flexible Package Applicator Gun, PN08398.</p>	 <p>Gray high-performance, general-purpose seam sealer that can be caulked or sprayed. Adheres well to all primed surfaces except acrylic lacquer.</p>
Part Number	08369	08370	08374
UPC	0-00-51135-08369-7	0-00-51135-08370-3	0-00-51135-08374-1
Product Name	3M™ MSP Seam Sealer	3M™ MSP Seam Sealer	3M™ MSP Sprayable Seam Sealer
Container Volume	310 Millilitre	310 Millilitre	0.1 Gallon (US)
Color	White	Gray	Gray
Packaging	6 per case	6 per case	6 per case








Single-Component Solvent Based Seam Sealers

Single-Component Solvent Based

	08300	08301	08302	08405
Description	 <p>Tan heavy bodied seam sealer. Quick skinning, fast curing, flexible sealer. Can be used wherever heavy bodied seam sealers are needed. High solids and low shrinkage. Ideal seam sealer where time and speed are important. Paintable in 45 min.</p>	 <p>Tan heavy bodied seam sealer. Quick skinning, fast curing, flexible sealer. Can be used wherever heavy bodied seam sealers are needed. High solids and low shrinkage. Ideal seam sealer where time and speed are important. Paintable in 45 min.</p>	 <p>Clear heavy bodied seam sealer. Quick skinning, fast curing, flexible sealer. Can be used wherever heavy bodied seam sealers are needed. High solids and low shrinkage. Ideal seam sealer where time and speed are important. Paintable in 45 min.</p>	 <p>High solids clear joint and seam sealer designed to seal interior and exterior joints and seams. Adheres well to clean, bare metal, primed metal and painted surfaces. Clear, non-yellowing. Excellent tooling properties.</p>
Part Number	08300	08301	08302	08405
UPC	0-00-51135-08300-0	0-00-51135-08301-7	0-00-51135-08302-4	0-00-51135-08405-2
Product Name	3M™ Ultrapro™ Autobody Sealant	3M™ Ultrapro™ Autobody Sealant	3M™ Ultrapro™ Autobody Sealant	3M™ Flexiclear™ Body Seam Sealer
Container Volume	0.1 Gallon (US)	5 Fluid Ounce (US)	5 Fluid Ounce (US)	0.1 Gallon (US)
Color	Tan	Tan	Clear	Clear
Packaging	12 per case	6 per case	6 per case	12 per case

Single-Component Solvent Based Seam Sealers

Single-Component Solvent Based (continued)

	08500	08505	08531	08656
Description	 <p>White, easy to apply sealant that is used for sealing interior and exterior autobody joints and seams. Applies easily and can be smoothed to a featheredge with a wet finger and sets to a firm, tough, rubber-like water resistant bead.</p>	 <p>Firm setting product for sealing interior and exterior joints. Adheres well to clean, bare metal, primed metal and paint surfaces. Skins over quickly. Low shrinkage. Can be painted within 30 minutes. Excellent tooling and sanding properties.</p>	 <p>Heavy-based sealer especially designed for verticle seams. Heavier bodied consistency. Up to 1/8 inch can be applied easily. This product weathers well and does not deteriorate under sunlight.</p>	 <p>Designed to seal sheet metal overlap joints that have been spotwelded, riveted, or bolted together. Can be painted when dry. Remains flexible and resistes oil, fuel and other automotive fluids.</p>
Part Number	08500	08505	08531	08656
UPC	0-00-51135-08500-4	0-00-51135-08505-9	0-00-51135-08531-8	0-00-51135-08656-8
Product Name	3M™ All-Around Autobody Sealant	3M™ Fast N Firm™ Seam Sealer	3M™ Heavy Drip-Chek™ Sealer	3M™ Brushable Seam Sealer
Container Volume	0.1 Gallon (US)	0.1 Gallon (US)	5 Fluid Ounce (US)	1 Liquid Quart(US)
Color	White	Tan	Light Gray	Gray
Packaging	12 per case	12 per case	6 per case	6 per case
	550	552	570	
Description	 <p>Dynatron™ Seam Sealer is a fast-skinning, permanently elastic, non-sagging formulation that is brushable and paintable. Provides excellent adhesion to bare metal or painted surfaces and is a non-staining, all-purpose autobody joint and seam sealer.</p>	 <p>Dynatron™ Seam Sealer is a fast-skinning, permanently elastic, non-sagging formulation that is brushable and paintable. Provides excellent adhesion to bare metal or painted surfaces and is a non-staining, all-purpose autobody joint and seam sealer.</p>	 <p>Dynatron™ Seam Sealer is a fast-skinning, permanently elastic, non-sagging formulation that is brushable and paintable. Provides excellent adhesion to bare metal or painted surfaces and is a non-staining, all-purpose autobody joint and seam sealer.</p>	
Part Number	550	552	570	
UPC	0-00-76308-00550-4	0-00-76308-00552-8	0-00-76308-00570-2	
Product Name	Dynatron™ Auto Seam Sealer Grey Caulk	Dynatron™ Brushable Grey Seam Sealer	Dynatron™ Auto Seam Sealer White Caulk	
Container Volume	12 Fluid Ounce (US)	1 Liquid Quart(US)	12 Fluid Ounce (US)	
Color	Grey	Grey	White	
Packaging	12 per case	6 per case	12 per case	

Two-Component Reactive Seam Sealers

Two-Component Reactive









Container Volume 200 Millilitre

Packaging 6 per case

	08307	08308	08310	08323
Description	 <p>Two-part epoxy designed for roof ditches (door skin hem flanges) and rear body panels, including tail light areas, wheel well flanges, etc. Has a work time of approximately 15 minutes and can be painted in 30 minutes increasing productivity.</p>	 <p>Two-part epoxy for use in vertical or horizontal seams to match OEM sealers. Non-sagging, non-flowing, and easy to tool. Paintable in 30 minutes, worktime, 10 minutes. No shrinkage or cracking.</p>	 <p>Two-part epoxy with corrosion inhibitors for use on vertical or horizontal bare metal seams. Heavy-bodied, non-sagging, non-flowing, and easy tooling formulation for matching OEM seam sealer appearances. Paintable in 30 minutes, worktime, 10 minutes. No shrinkage or cracking.</p>	 <p>Used to duplicate factory doorskin seams, as well as various other factory seams. Flows slightly and softens on the edges, without tooling, giving a rounded appearance.</p>
Part Number	08307	08308	08310	08323
UPC	0-00-51131-08307-3	0-00-51131-16808-4	0-00-51135-08310-9	0-00-51135-08323-9
Product Name	3M™ Self-Leveling Seam Sealer	3M™ Heavy-Bodied Seam Sealer	3M™ Bare-Metal Seam Sealer	3M™ Factory-Match Seam Sealer
Color	Amber	Black	Beige	Black
	08329	38308	38323	
Description	 <p>Controlled-Flow Seam Sealer will run approximately 1 1/2 inches when applied at a 45 degree angle. Excellent for sloped areas. Seals in 40 minutes.</p>	 <p>Two-part epoxy for use in vertical or horizontal seams to match OEM sealers. Non-sagging, non-flowing, and easy to tool. Paintable in 30 minutes, worktime, 10 minutes. No shrinkage or cracking.</p>	 <p>Two-part urethane for use in vertical or horizontal seams to match OEM sealers. Used to duplicate factory doorskin seams, as well as various other factory seams. Flows slightly and softens on the edges, without tooling, giving a rounded appearance.</p>	
Part Number	08329	38308	38323	
UPC	0-00-51135-08329-1	0-00-51131-38308-1	0-00-51131-38323-4	
Product Name	3M™ Controlled-Flow Seam Sealer	3M™ Heavy-Bodied Seam Sealer	3M™ Factory-Match Seam Sealer	
Color	Black	Black	Black	

Silicone Sealants

Silicone Sealants

	08019	08661	08662	08663
Description	 <p>High quality silicone designed for the harsh marine environment. It forms a mildew-resistant, non-yellowing seal that remains flexible even after years of exposure.</p>	 <p>A paste-like, one-component clear material which cures to a tough, rubbery solid when exposed to moisture in the air. It will adhere to clean metal, glass, wood, ceramic, natural and synthetic fiber, painted surfaces, and many plastics.</p>	 <p>A paste-like, one-component black material which cures to a tough, rubbery solid when exposed to moisture in the air. It will adhere to clean metal, glass, wood, ceramic, natural and synthetic fiber, painted surfaces, and many plastics.</p>	 <p>A paste-like, one-component clear material which cures to a tough, rubbery solid when exposed to moisture in the air. It will adhere to clean metal, glass, wood, ceramic, natural and synthetic fiber, painted surfaces, and many plastics.</p>
Part Number	08019	08661	08662	08663
UPC	0-00-51135-08019-1	0-00-51135-08661-2	0-00-51135-08662-9	0-00-51135-08663-6
Product Name	3M™ Marine Grade Silicone Sealant	3M™ Super Silicone Seal	3M™ Super Silicone Seal	3M™ Super Silicone Seal
Container Volume	3.0 Fluid Ounce (US)	3 Fluid Ounce (US)	3 Fluid Ounce (US)	0.1 Gallon (US)
Color	Clear	Clear	Black	Clear
Packaging	6 per case	12 per case	12 per case	12 per case
	08664	08672	08700	08704
Description	 <p>A paste-like, one-component black material which cures to a tough, rubbery solid when exposed to moisture in the air. It will adhere to clean metal, glass, wood, ceramic, natural and synthetic fiber, painted surfaces, and many plastics.</p>	 <p>Premium grade black silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe.</p>	 <p>Premium grade black silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe.</p>	 <p>Premium grade gray silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe.</p>
Part Number	08664	08672	08700	08704
UPC	0-00-51135-08664-3	0-00-51135-08672-8	0-00-51135-08700-8	0-00-51135-08704-6
Product Name	3M™ Super Silicone Seal	3M™ Ultrapro™ High Temp Silicone Gasket	3M™ Ultrapro™ Silicone Gasket	3M™ Ultrapro™ Silicone Gasket
Container Volume	0.1 Gallon (US)	3 Fluid Ounce (US)	3 Fluid Ounce (US)	3 Fluid Ounce (US)
Color	Black	Black	Black	Gray
Packaging	12 per case	6 per case	12 per case	12 per case

Seam Sealer Tape

Seam Sealer Tape

Rubber backed, 20.0 mil thick tape designed to duplicate the factory appearance and function typically found in door jams and trunk gutters. Immediately paintable.

Packaging 12 per case



Part Number	UPC	Product Name	Width	Length
08475	0-00-51135-08475-5	3M™ Seam Sealer Tape	3/8 Inch	30 Linear Foot
08476	0-00-51135-08476-2	3M™ Seam Sealer Tape	7/8 Inch	30 Linear Foot

Ribbon Sealers & Strip Caulk

3M™ Strip Caulk

Soft, Non-hardening caulking material in one foot lengths for use in all types of seams, joints and openings. This product is easily thumbed into place and smoothed with a finger. It may be painted immediately.



Part Number	UPC	Color	Packaging
08578	0-00-51135-08578-3	Black	60 per box 12 boxes per case

Ribbon Sealers & Strip Caulk

3M™ Windo-Weld™ Round Ribbon Sealer

Its unique feature of controlled compressibility allows easy installation yet will not squeeze out or allow lute to contact pinchweld. One 15 foot roll is sufficient material to replace one windshield or backlite. One 30 foot roll is sufficient material to replace two windshields or backlites.



Part Number	UPC	Product Name	Length	Ribbon Diameter	Packaging
08610	0-00-51135-08610-0	3M™ Windo-Weld™ Round Ribbon Sealer Kit	15 Linear Foot	1/4 Inch	12 per case
08611	0-00-51135-08611-7	3M™ Windo-Weld™ Round Ribbon Sealer Kit	15 Linear Foot	5/16 Inch	12 per case
08612	0-00-51135-08612-4	3M™ Windo-Weld™ Round Ribbon Sealer Kit	15 Linear Foot	3/8 Inch	12 per case
08620	0-00-51135-08620-9	3M™ Windo-Weld™ Round Ribbon Sealer Roll	15 Linear Foot	1/4 Inch	24 per case
08621	0-00-51135-08621-6	3M™ Windo-Weld™ Round Ribbon Sealer Roll	15 Linear Foot	5/16 Inch	24 per case
08622	0-00-51135-08622-3	3M™ Windo-Weld™ Round Ribbon Sealer Roll	15 Linear Foot	3/8 Inch	24 per case
08625	0-00-51135-08625-4	3M™ Windo-Weld™ Round Ribbon Sealer Roll	30 Linear Foot	1/8 Inch x 1/4 Inch	24 per case

Index by Product Number

Product Number	Page	Product Number	Page
02508	5	08621	13
02530	5	08622	13
02576	5	08625	13
08019	11	08656	9
08110	5	08661	11
08117	5	08662	11
08187	5	08663	11
08188	5	08664	11
08190	5	08672	11
08193	5	08700	11
08194	5	08704	11
08201	5	08991	6
08202	5	08992	6
08203	6	08993	6
08204	6	09930	6
08205	6	38191	6
08206	6	38193	7
08300	8	38308	10
08301	8	38323	10
08302	8	550	9
08307	10	552	9
08308	10	570	9
08310	10		
08323	10		
08329	10		
08360	7		
08361	7		
08364	7		
08369	8		
08370	8		
08374	8		
08398	6		
08399	6		
08405	8		
08475	12		
08476	12		
08500	9		
08505	9		
08531	9		
08571	6		
08578	12		
08610	13		
08611	13		
08612	13		
08620	13		